

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

Improvement of the foam stability of pilsner reference beer, after addition of hop pectin (from bines or cones), commercial pectin (100%) and montol (100%)

1/8




FIG. 1

Purity (AUA contents) of the pectin fractions isolated from hops  
(bines, cones and waste)




FIG. 2

ESTD 1929

Improvement of the foam stability of pilsner reference beer,  
after addition of hop pectin from waste and montol (60%)




FIG. 3

25T40 T2E9Z80

Improvement of the foam stability of pilsner reference beer,  
after addition of hop pectin from bines and montol (60%)




FIG.4

ESTD 1992/90

Improvement of the foam stability of pilsner reference beer,  
after addition of hop pectin from cones and montol (60%)




FIG.5

EST 10 1229/80

Improvement of the foam stability of pilsner reference beer, after  
addition of hop pectin from bines (corrected) and montol (100%)




FIG. 6

7-1/8

08/776321.044597




Fig. 7-1



08/776321

7-2/8




Fig. 7-2

08/776321.041597

Improvement of the foam stability of pilsner reference beer, after addition of hop pectin from residues of hexane extracts, ethanol extracts and CO<sub>2</sub> extracts, montol (100%), bine pectin, hop cone pectin and commercial pectin (100%)




FIG.8